




On the
Water
Designs

Tower Docks

Designer Series



*Say Goodbye To Back Pain
And Hello To Tower Docks*



Tower Docks

Designer Series

Is it getting difficult to find help each season when it is time to put your dock in and out? A Tower Dock by On the Water Designs can be lifted & lowered by yourself or with a single helper. Enjoy your dock on your schedule!

Tower Docks are most suitable in water less than 8' deep and where fluctuation is minimal when a boat is tied to it. Muddy bottoms are not a problem but need to be managed properly to ensure easy removal.

Tower Dock solutions include a strong mounting point at shore as well as a solid winch point that holds the dock over the winter.

All tower components are hidden below the decking for the summer.




All Tower Docks Include:

- ✓ Hidden Tower Design
- ✓ All Rigging Between Tower & Dock
- ✓ Foot Pads & Pole Caps
- ✓ Reinforced Frame & Connection Points
- ✓ 10 Year Welded Frame Warranty

| Size | | No Decking | Micro Pro PT | Western Red Cedar | PVC Endeck / Thruflow |
|---------------------|-----|-------------------|-------------------|-------------------|-----------------------|
| W | L | | | | |
| 4' | 20' | \$2,800 19-827 | \$4,000 19-101 | \$4,275 19-695 | \$5,900 19-252 |
| | 30' | 4,350 19-849 | 6,000 19-841 | 6,450 19-174 | 8,700 19-352 |
| | 40' | 5,100 19-212 | 7,700 19-735 | 8,300 19-446 | 11,300 19-606 |
| | 50' | 6,600 19-629 | 9,800 19-971 | 10,550 19-669 | 14,200 19-379 |
| 6' | 20' | 3,450 19-396 | 4,900 19-736 | 5,250 19-419 | 6,700 19-218 |
| | 30' | 5,100 19-674 | 7,150 19-808 | 7,650 19-957 | 9,700 19-521 |
| | 40' | 6,350 19-973 | 9,800 19-842 | 10,500 19-256 | 13,500 19-786 |
| | 50' | 8,000 19-463 | 12,150 19-601 | 13,000 19-538 | 17,000 19-309 |
| 8' | 20' | 4,000 19-815 | 6,000 19-220 | 6,500 19-151 | 9,000 19-944 |
| | 30' | 5,700 19-250 | 8,800 19-749 | 9,500 19-474 | 13,000 19-246 |
| | 40' | 7,350 19-561 | 11,350 19-754 | 12,250 19-662 | 17,000 19-157 |
| | 50' | 9,250 19-359 | 15,250 19-465 | 16,500 19-460 | 23,000 19-775 |
| 10' x 15' End Patio | | 2,575 19-127 | 4,800 19-128 | 5,250 19-129 | 6,900 19-130 |

| Corner Walkway | 3' | \$470 17-665 | \$550 17-128 | \$600 17-292 | \$750 17-397 |
|----------------|----|-----------------|-----------------|-----------------|-----------------|
| | 4' | 510 17-713 | 640 17-293 | 700 17-852 | 850 17-474 |
| | 5' | 550 17-131 | 730 17-605 | 800 17-666 | 950 17-811 |



| | | | |
|-------------------------|-------------------|--------------------|---------------|
| Winch | \$ 450.00 | \$ 775.00 | |
| | Manual 44-387 | 120V AC 44-298 | |
| Winch Post | \$ 230.00 | \$ 230.00 | |
| | Bedrock 45-413 | Concrete 45-698 | |
| Winch Cable Pkg | \$ 185.00 | | |
| | 50' 16-114 | | |
| Winter Anchor Cable Pkg | \$ 80.00 | \$ 90.00 | \$ 100.00 |
| | 40' 16-464 | 60' 16-751 | 80' 16-867 |
| | | | |

Delivery & Installation is available through a professional 3rd party installation crew.

Delivery is \$135/HR one way. Installation is generally 10% - 13% and may change based on specific requirements.

All prices subject to change without notice. All measurements are approximate

Tower Docks

Designer Series



Tower Dock Options

| | | | | | |
|--------------------------|--|------------------------|-----------------------|-----------------|---------------|
| Soft Bottom Solution | Sinking past your ankles? Use Large Feet | \$ 30.00 | \$ 13.50 | | |
| | Sinking to your shins? Use Patio Stones | Large Foot 46-390 | Patio Stone 89-685 | | |
| Hidden Leg Upgrade | Dock Legs stay hidden below your decking for a clean appearance. Pole adjustment is limited to 8" | \$ 60.00 | \$ 90.00 | \$ 120.00 | \$ 150.00 |
| | | 20' 16-556 | 30' 16-247 | 40' 16-677 | 50' 16-190 |
| Skirting (/ft) | Deck board running below dock frame adds an attractive natural finish and hides the gap between the dock and water | \$ 4.25 | \$ 6.75 | \$ 7.00 | \$ 14.50 |
| | | Bracket Only 16-540 | PT 16-541 | Cedar 16-542 | PVC 16-543 |
| Anti-Sway Bar | Telescopic bar runs diagonally between two legs. Optional on 6' legs & recommended with 8' legs | \$ 80.00 | \$ 90.00 | \$ 100.00 | \$ 110.00 |
| | | 4' 46-284 | 6' 46-270 | 8' 46-852 | 10' 46-984 |
| Aluminum Pole | 1-1/2" Sched 40 marine grade aluminum pole. Anti-sway bars recommended where 8' poles are used | \$ 37.00 | \$ 55.00 | \$ 75.00 | \$ 200.00 |
| | | 4' 46-982 | 6' 46-928 | 8' 46-392 | 24' 46-579 |
| Step for Tower Dock | Add built-in steps to a tower dock to start the dock higher up on shore but maintain a lower freeboard | \$ 995.00 | \$ 1,175.00 | | |
| | | Single 16-722 | Double 16-763 | | |
| Heavy Duty Tower Upgrade | Increases strength of tower component. Recommended on longer docks and windy locations | \$ 375.00 | | | |
| | | HD Tower 16-970 | | | |

Shore Platforms



| | | | No Decking | Micro Pro PT | Western Red Cedar | PVC Endeck / Thruflow |
|-------------|--|---------|------------|--------------|-------------------|-----------------------|
| Bedrock | Reinforced Dock frame mounted to bedrock with 1" threaded rod (included) | 4' x 4' | \$ 550 | \$ 875 | \$ 875 | \$ 1,125 |
| | | | 16-603 | 16-654 | 16-655 | 16-108 |
| | | 6' x 4' | 780 | 1,150 | 1,115 | 1,325 |
| | | | 16-532 | 16-826 | 16-827 | 16-718 |
| | | | 870 | 1,250 | 1,250 | 1,950 |
| | | | 16-517 | 16-759 | 16-760 | 16-833 |
| Sand & Clay | Reinforced dock frame with 6' steel legs (included) driven into soil. | 4' x 4' | 850 | 1,150 | 1,175 | 1,375 |
| | | | 16-497 | 16-204 | 16-205 | 16-139 |
| | | 6' x 4' | 1,050 | 1,350 | 1,400 | 1,550 |
| | | | 16-966 | 16-571 | 16-572 | 16-496 |
| | | | 1,150 | 1,550 | 1,550 | 2,250 |
| | | | 16-154 | 16-198 | 16-199 | 16-579 |

Shore Attachments

| | | 4' | 6' | 8' | 10' |
|----------------|--|--------|--------|--------|--------|
| Shore Beam | 6"x6" PT Beam. Used as an adaptor for the shore angle on uneven bedrock. | \$ 285 | \$ 335 | \$ 375 | \$ 445 |
| | | 16-681 | 16-904 | 16-498 | 16-585 |
| Shore Angle | 4" x 4" Aluminum Angle. Mount to shore beam or wood deck | 350 | 395 | 440 | 485 |
| | | 16-222 | 16-674 | 16-515 | 16-293 |
| Shore Plate | 4" x 1/4" Aluminum Plate. Mount to the face of a flat surface | 250 | 275 | 300 | 325 |
| | | 16-404 | 16-406 | 16-408 | 16-410 |
| Shore Channel | 4" x 2-1/2" Aluminum Channel. Mount to the face of an uneven surface | 325 | 385 | 515 | 575 |
| | | 16-304 | 16-306 | 16-308 | 16-310 |
| Concrete Angle | 4' x 6" Aluminum Angle. Mount to new or existing concrete | 425 | 550 | 635 | 775 |
| | | 16-551 | 16-438 | 16-622 | 16-483 |

* Note: Concrete Pour Available Separately



Concrete Angle on New Concrete



Shore Beam & Angle




Shore Platform (Sand & Clay)

Tower Docks

Designer Series


Contact Us
 On the Water Designs
 Kilworthy (Muskoka) ON
 (866) 477-0177
 info@onthewaterdesigns.com



\$65.00

53- 383 384


Heavy Slant P Bumper | 10'4" Length



\$100.00

53- 697


EZ-Glide Bumper & Track | 10'4" Length



\$95.00

53- 195 196

Single P Bumper | 8' Length



\$40.00

53- 382 946 947

Heavy Outside Corner



\$45.00

53- 593 919 969 970

Large Corner Bumper



Factory Install Bumper LB-359 \$23.50
 Factory Install Corner LB-127 \$13.00
 Bumper Screws (25pk) 68-720 \$5.75
 Bumper Screws (100pk) 68-719 \$23.00



51-552
 51-551
 51-215

\$25.00

Install LB-948 \$13.00

6" Flip Up Cleat

Hardware Only 68-723 \$7.00



Premium Mooring Whips

| | Capacity | Size |
|-----|------------|------------------|
| 8' | 2,500 lbs | \$ 385 52-443 |
| 12' | 5,000 lbs | \$ 550 52-403 |
| 14' | 10,000 lbs | \$ 635 52-208 |

| | | |
|--------------|-----------|------------------|
| Wake Watcher | 3,500 lbs | \$ 575 52-318 |
|--------------|-----------|------------------|

| | |
|---------------|-----------------|
| Install Whips | \$ 38 LB-460 |
|---------------|-----------------|



Wake Watcher™



\$50.00

61-146

Premium Solar Light



\$55.00

61-426

Solar Dock Lite (2pk)



\$90.00

61-856

Solar Post Lite (2pk)




Water Entry Staircase

| | Height | Grey |
|----------------|---------|--------------------|
| 3 Step | 24"-36" | \$ 675 50-867 |
| 4 Step | 30"-42" | \$ 775 50-777 |
| 5 Step | 36"-48" | \$ 875 50-845 |
| 6 Step | 42"-54" | \$ 975 50-420 |
| 7 Step | 48"-60" | \$ 1,075 50-223 |
| 8 Step | 54"-66" | \$ 1,175 50-993 |
| Measurements | | |
| Inside Width | | 27.5" |
| Outside Width | | 31.5" |
| Railing Height | | 32" |
| Step Rise | | 7.5" |



Straight Ladder

| | Grey | Measurements |
|----------------|------------------|---|
| 3 Step | \$ 385 54-361 | ID 18" OD 20.5" |
| 4 Step | \$ 415 54-397 | Depth 5.5" |
| 5 Step | \$ 455 54-330 | Step Height 11" |
| Install Ladder | \$ 27 LB-681 | 3 Step Lower Height 33" 4 Step Lower Height 44" 5 Step Lower Height 55" |



Angled Ladder

| | Black | White | Grey | Measurements |
|----------------|------------------|------------------|------------------|---|
| 3 Step | \$ 410 54-742 | \$ 410 54-455 | \$ 385 54-869 | ID 18" OD 20.5" |
| 4 Step | \$ 465 54-743 | \$ 465 54-543 | \$ 415 54-517 | Step Height 11" |
| 5 Step | \$ 495 54-744 | \$ 495 54-350 | \$ 455 54-708 | 3 Step Lower Height 33" 4 Step Lower Height 44" 5 Step Lower Height 55" |
| Install Ladder | | | \$ 27 LB-681 | Angle 15° |